Print Page 1 of 3

Message: RE: Issues with New System

RE: Issues with New System

From Kraft, Emily **Date** Friday, February 10, 2017 3:38 PM

To 'Megan Lengerman'

Cc

And are your issues with the A2A database occurring in both browsers?

From: Megan Lengerman [mailto:megan.lengerman@nursesfornewborns.org]

Sent: Friday, February 10, 2017 2:16 PM

To: Kraft, Emily

Subject: Re: Issues with New System

I go between Safari and Firefox; whichever works best for the program I'm working in.

Sent From My iPhone

On Feb 10, 2017, at 12:36 PM, Kraft, Emily < <u>Emily.Kraft@oa.mo.gov</u>> wrote:

Are you all using Safari as your browser then?

From: Megan Lengerman [mailto:megan.lengerman@nursesfornewborns.org]

Sent: Friday, February 10, 2017 12:28 PM

To: Kraft, Emily

Subject: Re: Issues with New System

Hi Emily,

We are an all Mac agency so I do not have access to Internet Explorer.

Is that going to be an issue?

Megan

Sent From My iPhone

On Feb 10, 2017, at 12:25 PM, Kraft, Emily < Emily .Kraft@oa.mo.gov > wrote:

Hi Megan,

ITSD has asked if your browser has the A2A database added to compatibility view. If not, add it and let me know if it helps with any of the issues. I have attached instructions on how to check your compatibility view setting for Internet Explorer. If it's already currently added, let me know that too.

about:blank 9/24/2018 Print Page 2 of 3

Thanks,

Emily Kraft

Alternatives to Abortion Program Manager Truman Building, Room 430 Jefferson City, MO 65102 Phone: (573) 522-0003

From: Megan Lengerman

[mailto:megan.lengerman@nursesfornewborns.org]

Sent: Friday, February 03, 2017 10:30 AM

To: Kraft, Emily

Subject: Issues with New System

Hi Emily!

I just wanted to send you some feedback on the new system...not sure if it helps or matters, but here it is!

There are a lot of issues with tabbing; I will be tabbing through and the screen will refresh. Or I will be tabbing and as soon as I get to Assessment Date, it reverts back to the web address, not even the first data entry cell.

There's also an issue with choosing a County; sometimes I have to choose a county twice because the first time I clicked on it didn't "stick".

Just wanted to pass these along and see if anyone else was having issues also, or if it is just me and my computer!

Thanks! Megan

Megan Lengerman, MA

Intake and Contracts Manager Nurses for Newborns 7259 Lansdowne, Suite 100 Saint Louis, MO 63119 P – 314.544.3433 x321

C - 314.604.2426

C = 314.004.2420

F - 314.448.4004

E – megan.lengerman@nursesfornewborns.org

Confidentiality Notice: This communication, and any files attached, contains confidential information that may be privileged. The information is intended only for the use of the individual(s) or entity to which it is addressed. If you are not the intended recipient, any disclosure, distribution or the taking of any action in reliance upon this communication is prohibited and may be unlawful. If you have received this communication in error, please notify the sender immediately by reply e-mail and destroy the original information. Thank you.

about:blank 9/24/2018

Print Page 3 of 3

Confidentiality Notice: This communication, and any files attached, contains confidential information that may be privileged. The information is intended only for the use of the individual(s) or entity to which it is addressed. If you are not the intended recipient, any disclosure, distribution or the taking of any action in reliance upon this communication is prohibited and may be unlawful. If you have received this communication in error, please notify the sender immediately by reply e-mail and destroy the original information. Thank you.

Confidentiality Notice: This communication, and any files attached, contains confidential information that may be privileged. The information is intended only for the use of the individual(s) or entity to which it is addressed. If you are not the intended recipient, any disclosure, distribution or the taking of any action in reliance upon this communication is prohibited and may be unlawful. If you have received this communication in error, please notify the sender immediately by reply e-mail and destroy the original information. Thank you.

about:blank 9/24/2018